






FOUNDATION EXCAVATION & KEY PLAN



NOTES

1. DIMENSIONS ARE TO BE READ NOT TO BE SCALED
2. CONTRACTOR IS TO CHECK ALL DIMENSIONS BEFORE EXECUTION OF WORK
3. π INDICATES THE DIA. OF RIBBED BARS OF GRADE F415 REFER TO BS. 7708:1078
4. FOR CENTER LINE DIMENSION REFER ANCHORAGE, & NOT MORE THAN 5% BARS ARE TO BE LAPPED AT ONE LOCATION
5. LAP LENGTH / ANCHORAGE LENGTH
6. LAP IN CASE OF FOUNDATION, BEAM & SLAB
7. CLEAN COVER TO REIN. BEAM = 25mm COLUMN = 40mm SLAB = 25mm
8. CONC. USED IS M20

STRUCTURAL CONSULTANT:

SYAL & ASSOCIATES
CONSULTING ENGINEERS, ARCHITECTS & SURVEYORS
F-91, PHASE - 7, INDUSTRIAL AREA
MOHALL (PUNJAB)

CLIENT:
SARVA SHIKSHA ABHIYAN
AUTHORITY PUNJAB

PROJECT:

DOUBLE STOREY U.P.S SCHOOL
FOUNDATION EXCAVATION & KEY PLAN,
W-1, W-2, W-3, TW-1, TB, C-1, CR,

STRUCTURAL CONSULTANT: DR. J.C. SYAL
SIGNATURE & STAMP:

DRAWN BY: HARPREET KAUR

SCALE: N.T.S

DATE:

DRG. NO.: