




NOTES

- DIMENSIONS ARE TO BE READ NOT TO BE SCALED
- CONTRACTOR IS TO CHECK ALL DIMENSIONS BEFORE EXECUTION OF WORK
- ↑ INDICATES THE DIA OF HYD BARS OF GRADE REINFORCING TO BE ITED, ITWS
- FOR CENTER LINE DIMENSION REFER ANCHORING
- NOT MORE THAN 80 % BARS ARE TO BE LAPPED AT ONE LOCATION
- LAP LENGTH / ANCHORAGE LENGTH
- 80% IN CASE OF FOUNDATION, BEAM & SLAB
- 40% IN CASE OF COLUMN, WHERE V IS DIA OF BARS
- CLEAR COVER TO REINF:
- FOUNDATION = 60mm
- BEAM = 50mm
- COLUMN = 40mm
- SLAB = 25mm
- & CONC. USED IS M20

STRUCTURAL CONSULTANTS:		
SYAL & ASSOCIATES		
CONSULTING ENGINEER, ARCHITECTS & SURVEYORS		
F-91, PHASE - I, INDUSTRIAL AREA		
MOHALL (PUNJAB)		
CLIENT:		
SARVA SHIKSHA ABHIYAN		
AUTHORITY PUNJAB		
PROJECT:		
KITCHEN SHED		
REVISION:		
S T R U C T U R E		
FOUNDATION EXCAVATION & KEY PLAN, W-1,TW-1 & C-1 CR		
STRUCTURAL CONSULTANT:		DR. J.C SYAL
SIGNATURE & SEAL:		
DRAWN BY:	UPASNA	
SCALE:	N.T.S	
DATE:	04-04-2010	
DWG. NO.:	S-201	



FOUNDATION EXCAVATION & KEY PLAN