ਪੰਜਾਬ ਸਰਕਾਰ ਸਿੱਖਿਆ ਵਿਭਾਗ (ਸਿੱਖਿਆ- 6 ਸ਼ਾਖਾ)

ਸੇਵਾ ਵਿਖੇ,

1)ਸਮੂਹ ਜਿਲ੍ਹਾ ਸਿੱਖਿਆ ਅਫਸਰ (ਸੈ.ਸਿੱ/ਐ.ਸਿੱ),

2) ਸਮੂਹ ਸਰਕਾਰੀ/ਏਡਿਡ/ਪ੍ਰਾਈਵੇਟ ਸਕੂਲ ਮੁਖੀ,

ਪੰਜਾਬ ਰਾਜ ਵਿੱਚ

(ਵੈਬਸਾਈਟ ਰਾਹੀਂ)

ਮੀਮੇ ਨੰ: sed-edu6018/23/2024-4Edu6/842576/1

ਮਿਤੀ, ਚੰਡੀਗੜ੍ਹ:-16.05.2024

ਵਿਸ਼ਾ:

Regarding compliance of NGT Order dated 30.01.2024 in OA No. 378 of 2022 titled as Sahil Garg (Applicant) V/s State of Punjab & Ors.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਹਵਾਲੇ ਵਿੱਚ।

2) ਵਿਸ਼ਾ ਅੰਕਿਤ ਮਾਮਲੇ ਸਬੰਧੀ ਆਪ ਨੂੰ ਮਾਨਯੋਗ ਮੁੱਖ ਸਕੱਤਰ, ਪੰਜਾਬ ਜੀ ਦੇ ਪੱਤਰ ਮੀਮੋ ਨੰ.01/02/2024-1MC/54 ਮਿਤੀ 06.03.2024 ਰਾਹੀਂ ਜਾਰੀ ਹੋਈਆਂ ਹਦਾਇਤਾਂ ਦੀ ਕਾਪੀ ਭੇਜਦੇ ਹੋਏ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਇਨ੍ਹਾਂ ਹਦਾਇਤਾਂ ਦੀ ਇੰਨ-ਬਿੰਨ ਪਾਲਣਾ ਕਰਨੀ ਯਕੀਨੀ ਬਣਾਈ ਜਾਵੇ।

ਇਹ ਪੱਤਰ ਸਮਰੱਥ ਅਥਾਰਟੀ ਦੇ ਆਦੇਸ਼ਾਂ ਅਨੁਸਾਰ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

मुंधवडेंट मुंधवडेंट

ਪਿ.ਅ.ਨੈ. SED-EDU6018/23/2024-4EDU6/842576/2

ਮਿਤੀ:16.05.2024

ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਸੂਚਨਾ / ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ:-

- ਡਾਇਰੈਕਟਰ ਜਨਰਲ ਸਕੂਲ ਸਿੱਖਿਆ, ਪੰਜਾਬ, ਮੋਹਾਲੀ।
- 2) ਡਾਇਰੈਕਟਰ, ਸਕੂਲ ਸਿੱਖਿਆ (ਸੈ.ਸਿੱ/ਐ.ਸਿੱ), ਪੰਜਾਬ, ਮੋਹਾਲੀ ।
- 3) ਡਿਪਟੀ ਮੈਨੇਜਰ, ਐਮ.ਆਈ.ਐਸ ਵਿੰਗ, ਦਫਤਰ ਡੀ.ਜੀ.ਐਸ.ਈ., ਪੰਜਾਬ, ਮੋਹਾਲੀ ਨੂੰ ਭੇਜਦੇ ਹੋਏ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਪੱਤਰ ਨੂੰ website ਤੇ ਅਪਲੋਡ ਕੀਤਾ ਜਾਵੇ।
- 4) ਸਹਾਇਕ ਡਾਇਰੈਕਟਰ, ਕੋ-ਆਰਡੀਨੇਸ਼ਨ ਸ਼ਾਖਾ, ਦਫਤਰ ਡੀ.ਐਸ.ਈ. (ਸੈ.ਸਿੱ), ਪੰਜਾਬ, ਮੋਹਾਲੀ।

मुख्य के प्राचित्र । मुख्य केंद्र



To

All the Administrative Secretaries to Government of Punjab

Memo No. 01/02/2024-1mc/54 Dated, Chandigarh the 06.03.2024

Sub: Compliance of order dated 30.01.2024 of the Hon'ble National Green Tribunal, New Delhi in O.A. No. 378/2022.

- Please find enclosed copy of above order.
- Para 17 of this order reads as below:
 - "17. In view of the above Chief Secretary to Government of Punjab is directed to issue appropriate instructions within one month to all the Municipal Bodies/Civic Agencies/Government Departments/Gram Panchayats to ensure:-
 - (i) That all the sign boards, names, advertisements, any kind of boards or signages, electric wires and high tension insulated cables etc. placed on trees are removed within one month from the date of issuance of the instructions;
 - (ii) That the trees which are already concretized are deconcretized, manually without use of JCB machines etc so that the roots and trunks are not damaged, by leaving soil filled space of one meter radius to allow percolation of water to the roots thereof within two months from the date of issuance of the instructions;
 - (iii) That during fresh construction of roads/ pavements etc, a fresh clause is added in the tender documents that one meter area around the trees shall be left de-concretized/soil filled to allow percolation of water to the roots and that.
 - (iv) That concretization of road berms beyond footpath and central verge of the roads/ pathways be avoided and appropriate land scaping with plantation of grass, shrubs, flowering plants may be done, as may be viable."

- You are directed to strictly comply with this order and in particular the above Para so far as it relates to your department.
- Compliance report be sent to Secretary, Science Technology (who shall be the nodal officer for implementation of this order) by 31.03.2024.

Chief Secretary, Punjab

Endst. No. 01/02/2024 -1mc/55

Dated, Chandigarh the 06.03.2014

Copy to Secretary, Science, Technology & Environment- He is directed to follow up with the Administrative Secretaries concerned on weekly basis and to ensure compliance of above order. He is directed to put up compliance report by 03.04.2024.

Chief Secretary, Punjab