





















TRADE: PLUMBING						
Sr no	Name of Item	Specification	Image	Qty.	Approx Price	Amount
1	PIPE BENDING MACHINE	Bending Range (O.D.) (mm) : Ø21.3-Ø60 Ram Stoke (mm) : 250 Bending Shoes (Inch) : 1/2" 3/4" 1" 1-1/4" 1- 1/2" 2"		1	25000	25000
2	HAMMER DRILL MACHINE	Brand AS PER STANDARD		1	3000	3000
3	CUTTER GRINDER	4 inch (100mm) Cutting Wheel Size, Spindle Size of M10 and a Cable Length of 2 metres		1	3000	3000
4	PIPE DIE SET	MATERIAL : ALLOY STEEL & MILED STEEL APPLICATION : THREADING SIZE : 1/2", 3/4", 1"		1	2500	2500
5	PIPE VICE	MATERIAL : MILED STEEL APPLICATION : HOLDING SIZE : 4"		1	2500	2500
6	BENCH VICE	MATERIAL : MILED STEEL & ALLOY STEEL APPLICATION : HOLDING SIZE : 5"		1	2000	2000
7	PIPE WRENCH	MATERIAL : ALLOY STEEL APPLICATION : ASSEMBLE & DISASSEMBLE THE PIPES SIZE : 12" & 14"		2	600	1200
8	ADJUSTABLE WRENCH	MATERIAL : Chrome Vanadium Steel APPLICATION : TURN LOOSE & TIGHT TO NUT BOLT SIZE : 8"		2	550	1100
9	PILER	MATERIAL : ALLOY STEEL APPLICATION : CUTTING SIZE : 8"		2	365	730
10	PIPE TUBE CUTTER	MATERIAL : STEEL APPLICATION : CUTTING TO PVC, CPVC, PP, PEX SIZE : 1/8"-1		1	1000	1000
11	EXTN. CORD	WIRE LENGTH 15 MTR		1	900	900



12	DRILL BITS	Material Alloy Steel Shank Type Straight		1	550	550
13	GRINDER BLADE	As per Requirement		1	530	530
14	CHAIN WRENCH	Material Alloy Steel, Carbon Steel Item Dimensions LxWxH 16 x 10 x 7 Centimeters		1	800	800
15	WATER PUMP PILER	Material Alloy Steel, Metal Colour Black		1	650	650
16	SCREW DRIVER SET	Material Alloy Steel		2	250	500
17	IRON LADDER	Material MS STEEL Load Capacity 150 kg Maximum Height 10 Feet		1	4500	4500
18	IRON CHISEL	MATERIAL HARD MS IRON 104 Steel (22mm)		2	200	400
19	CAULKING TOOL SET	This tool can help you repair the gap and clean the residual glue (as per requirement)		1	500	500
20	SILCONE GUN BOTLLE SET	AS PER REQUIRED Compatible Material Packaging		1	850	850
21	SLEDGE HAMMER	Handle Material Wood Handle, Wood Colour Brown, Yellow, Black		2	320	640
22	TAPS DIE SET	complete Die Set as per required		1	1500	1500
23	MEASURING TAP 5MTR	Brand Stanley Blade Material Plastic		2	165	330

24	MAGNETIC LEVEL	Material Aluminium Item Dimensions LxWxH 32 x 5 x 2.1 Centimeters Style Magnetic		1	300	300
25	PIPE TUBE LEVEL 15'	Material PVC Colour transparent		1	200	200
26	MASSON TROWEL	as per requirement		2	150	300
27	MASSON TROWEL PLASTER	Real Teak Wood - Strong and Lasting Size: 12 Inch x 6 Inch Smooth Finishing and Comfortable		1	200	200
28	KEY SPANNER 12 KEY SET	Material: Steel		1	550	550
29	ALLEN KEY SET	Material Alloy Steel		1	220	220
30	PLUMB BOB	used as a vertical reference line		1	250	250
31	ROUND SHOWEL	Material Alloy Steel Colour Brown, black		1	650	650
32	PICKAXE WITH WOODEN HANDLE	MS Handle PVC Grip		1	350	350
33	SPADE WITH WOODEN HANDLE	Material Alloy Steel		2	450	900
34	PLASTIC TASLA	Material: Plastic High quality		3	250	750
35	SAFTY GOOGLES	Colour Transparent Material Polycarbonate		1	150	150
36	SAFTY HELMET	Size ADJUSTABLE Colour Lamination Blue		1	150	150
37	SAFTY EAR PLUG SET	AS PER STANDARD		1	300	300
38	SAFTY GLOVES PAIR	Material Nylon Special Feature Breathable, Cut Resistant		2	100	200

39	PLUNGER FOR DRAINAGE	Modern as per requirements		1	260	260
40	RUBBER FLANGE	Material: Rubber Shape: Round		1	120	120
41	ANGLE COCK 1/2"	Material Steel Item Dimensions LxWxH 10 x 16 x 6.5 Centimeters Exterior Finish Stainless Steel,Chrome Plated, Brass Inlet Connection Type Flange		2	200	400
42	BIB COCK 1/2"	Material Stainless Steel Style Turbo Taps		2	250	500
43	GATE VALVE 1/2"	Material Brass		2	280	560
44	GATE VALVE 1"	Material Plastic Brand ANY		2	150	300
45	CONNECTION PIPE 1' SET	Uses For Product Bathroom Mounting Type Wall Mount 1 set		1	200	200
46	SAFTY SHOES 1 PAIR	Sole: Polyvinyl Chloride Closure: Lace-Up Fit Type: Relaxed Shoe Width: Medium		1	800	800
47	SAFTY BELT	Material Nylon		1	700	700
48	FLOAT VALVE	Material Brass Brand ANY Grit Type Coarse Compatible Material Brass		1	300	300
49	CHECK VALVE 1/2" BRASS	Pmw - Horizontal Check Valve - Heavy - 1 /2Inch Diameter		1	700	700
50	CONSEALED BRASS 1/2"	Mounting Type Wall Mount Finish Type Chrome Material Brass Colour Silver		1	700	700
51	SHOWER 1/2"	Installation Type Wall Mounted Colour Chrome Product Dimensions 30.5L x 10.2W Centimeters		1	820	820
52	ENGLISH TOILET SHEET WITH COVER	Shape Oval Seat Material Type Ceramic		1	3500	3500
53	SIMPLE TOILET SHEET	Material Ceramic Shape Rectangular		1	2000	2000

54	URINAL POT	Colour White Item Dimensions LxWxH 33 x 33 x 43.2 Centimeters Material Ceramic		1	1500	1500
55	JET SPRAYER ENGLISH SHEET	Style Modern Valve Type Disc Valve Handle Location Centre		1	450	450
56	SAFEDA	M-Seal Colour White		2	350	700
57	ENGLISH TOILET SHEET WATER TANK WITH FITTING PIPE	Colour - White Package Contents: 1 Flush Tank Set Material: Pvc, Color: White, Weight: 1.5 Kg		1	1500	1500
58	S TRAP	S Trap Material PVC		1	500	500
59	WASHBASIN WITH PEDSHTEL WITH SIPRING PIPE	Colour White Material Ceramic Size 22 Inch x 16 Inch Product Dimensions 40.6D x 55.9W x 73.7H Centimeters		1	3500	3500
60	KITCHEN SINK	Colour gloss Material Stainless Steel Size 24" x 18" x 10" Product Dimensions 45.7D x 61W x 25.4H Centimeters		1	2500	2500
61	P TRAP	standard size		1	800	800
62	MULTI TRAP 4"	Nominal Dia (mm) Nominal Dia 4"		1	800	800
63	COTTON THREAD	Material Polyester Cotton Thread Colour Off White Product Care Instructions Hand Wash Only Material Composition Polyester 100		2	15	30
64	TAFLONE TAPE	Material teflon Size 1/2" Regular		2	40	80
65	ABC FIRE EXTINGUISHER	For any product related query or assistance contact us Package Contents-1 Fire Extinguisher,1 Wall Hook, 1 Discharge Pipe		1	2500	2500
66	GI PIPE 1/2"	Size/Diameter 1/2" -		1	1100	1100
67	GI PIPE 3/4"	Size/Diameter 3/4"		1	1150	1150
68	GI PIPE 1"	Nominal Size1"		1	1200	1200

69	PVC PIPE 1/2"	MATERIAL PVC PLASTIC PRESSER CLASS 2.5KG SIZE 1/2" APPLICATION SEWAGE TRAETMENT PLANT ETC		1	840	840
70	PVC PIPE 3/4"	MATERIAL PVC PLASTIC PRESSER CLASS 2.5KG SIZE 3/4" APPLICATION SEWAGE TRAETMENT PLANT ETC		1	870	870
71	PVC PIPE 1'	MATERIAL PVC PLASTIC PRESSER CLASS 2.5KG SIZE 1' APPLICATION SEWAGE TRAETMENT PLANT ETC		1	900	900
72	UPVC PIPE 1/2"	Nominal Size 1/2"		1	950	950
73	UPVC PIPE 3/4"	Nominal Size 3/4"		1	1000	1000
74	UPVC PIPE 1"	Nominal Size1"		1	1100	1100
75	CPVC PIPE 1/2"	Nominal Size 1/2"		1	900	900
76	CPVC PIPE 3/4"	Nominal Size 3/4"		1	950	950
77	CPVC PIPE 1"	Nominal Size1"		1	1000	1000
78	GI ELBOW 1/2"	SIZE 1/2" Material GI		2	50	100
79	GI ELBOW 3/4"	SIZE 3/4" Material GI		2	70	140
80	GI ELBOW 1"	SIZE 1" Material GI		2	80	160
81	PVC ELBOW 1/2"	SIZE 1/2" Pvc		2	40	80













82	PVC ELBOW 3/4"	SIZE 3/4" Pvc		2	55	110
83	PVC ELBOW 1'	SIZE 1" PVC		2	75	150
84	UPVC ELBOW 1/2"	Size 1/2"		2	70	140
85	UPVC ELBOW 3/4"	Size 3/4"		2	90	180
86	UPVC ELBOW 1"	Size 1"		2	110	220
87	CPVC ELBOW 1/2"	CPVC ELBOW 1/2"		2	40	80
88	CPVC ELBOW 3/4"	Size 3/4 inch Elbow Bend Angle 90 & 45 Degree		2	55	110
89	CPVC ELBOW 1"	Size 1" inch Elbow Bend Angle 90 & 45 Degree Material CPVC		2	75	150
90	GI BEND 1/2"	Material GI Corrosion Resistance size 1/2 inch		2	120	240
91	GI BEND 3/4"	Material GI Corrosion Resistance size 3/4 inch		2	150	300
92	GI BEND 1"	Material GI Corrosion Resistance size 1 inch		2	230	460






93	PVC TEE 1/2"	PVC TEE 1/2"		2	50	100
94	PVC TEE 3/4"	PVC TEE 3/4"		2	75	150
95	PVC TEE 1'	PVC TEE 1'		2	95	190
96	UPVC TEE 1/2"	UPVC TEE 1/2"		2	40	80
97	UPVC TEE 3/4"	UPVC TEE 3/4"		2	45	90
98	UPVC TEE 1"	UPVC TEE 1"		2	65	130
99	CPVC TEE 1/2"	CPVC TEE 1/2"		2	55	110
100	CPVC TEE 3/4"	CPVC TEE 3/4"		2	65	130
101	CPVC TEE 1"	CPVC TEE 1"		2	75	150
102	GI TEE 1/2"	GI TEE 1/2"		2	60	120
103	GI TEE 3/4"	GI TEE 3/4"		2	75	150
104	GI TEE 1"	Size 1"		2	95	190
105	GI REDUCER 1/2"	Size 2X1/2 INCH		2	40	80
106	GI REDUCER 3/4"	Size 2X1/2 INCH		2	45	90
107	GI REDUCER 1"	Size 2X1/2 INCH		2	65	130

108	PVC REDUCER 1/2"	Size 1 X 1/2 inch Material Pipe Color White Is It Leak Proof Leak Proof		2	45	90
109	PVC REDUCER 3/4"	Size 1 X 3/4 inch		2	60	120
110	PVC REDUCER 1"	Size 1.5 X 1 inch Material Pipe		2	85	170
111	UPVC REDUCER 1/2"	UPVC Reducer Socket Pipe Fitting Size : 2 x 1 1/2 Inch		2	70	140
112	UPVC REDUCER 3/4"	UPVC Reducer Socket Pipe Fitting Size : 2 x 1 3/4 Inch		2	85	170
113	UPVC REDUCER 1"	UPVC Reducer Socket Pipe Fitting Size : 2 x 1 Inch		2	110	220
114	CPVC REDUCER 1/4"	Material CPVC Size/ Diameter 1x1/4x1		2	70	140
115	CPVC REDUCER 1 1/4"	CPVC REDUCER 1 1/4"		2	85	170
116	CPVC REDUCER 1"	CPVC REDUCER 1* 1/2 "		2	110	220
117	GI CROSS TEE 1/2"	GI CROSS TEE 1/2"		2	55	110
118	GI CROSS TEE 3/4"	GI CROSS TEE 3/4"		2	70	140
119	GI CROSS TEE 1"	GI CROSS TEE 1"		2	95	190
120	PVC CROSS TEE 1/2"	PVC CROSS TEE 1/2"		2	65	130
121	PVC CROSS TEE 3/4"	PVC CROSS TEE 3/4"		2	85	170
122	PVC CROSS TEE 1"	PVC CROSS TEE 1"		2	100	200
123	UPVC CROSS TEE 1/2"	UPVC CROSS TEE 1/2"		2	55	110
124	UPVC CROSS TEE 3/4"	UPVC CROSS TEE 3/4"		2	70	140

125	UPVC CROSS TEE 1"	UPVC CROSS TEE 1"		2	95	190
126	CPVC CROSS TEE 1/2"	CPVC CROSS size TEE 1/2"		2	50	100
127	CPVC CROSS TEE 3/4"	CPVC CROSS size TEE 3/4"		2	65	130
128	CPVC CROSS TEE 1"	CPVC CROSS size TEE 1"		2	80	160
129	COPPER PIPE 1/2"	Usage/Application Air Condition Size 1/2 Inch Thickness 1 mm Material Copper		1	3000	3000
130	GI SOCKET 1/2"	Size 1/2 inch Material GI		2	45	90
131	GI SOCKET 3/4"	Size 3/4 inch Material GI		2	70	140
132	GI SOCKET 1"	Size 1 inch Material GI		2	85	170
133	CPVC SOCKET 1/2"	CPVC size 1/2"		2	40	80
134	CPVC SOCKET 3/4"	CPVC size 3/4"		2	55	110
135	CPVC SOCKET 1"	CPVC size 1"		2	75	150
136	GI END CAP 1/2"	SIZE 1/2" G.I		2	40	80
137	GI END CAP 3/4'	SIZE 1" G.I		2	75	150
138	GI END CAP 1"	SIZE 1" G.I		2	95	190
139	GI CAP PLUG 1/2"	size 1/2" G.I		2	45	90
140	GI CAP PLUG 3/4'	size 3/4" G.I		2	65	130

141	GI CAP PLUG 1"	size 1" G.I		2	95	190
142	GI UNION 1/2"	Galvanized Iron End Connection Type Threaded Size 1/2 inch		2	40	80
143	GI UNION 3/4"	Galvanized Iron End Connection Type Threaded Size 3/4 inch		2	55	110
144	GI UNION 1"	Galvanized Iron End Connection Type Threaded Size 1 inch		2	75	150
145	CPVC UNION 1/2"	Size/ Diameter 1/2 inch		2	55	110
146	CPVC UNION 3/4"	Size/ Diameter 3/4 inch		2	85	170
147	CPVC UNION 1"	Size/ Diameter 1 inch		2	110	220
148	GI TANK NIPPLE 1/2"	Material Galvanized Iron End Connection Type Threaded Usage/Application Water Tank Diameter 1/2 inch		2	55	110
149	GI TANK NIPPLE 3/4"	Material Galvanized Iron End Connection Type Threaded Usage/Application Water Tank Diameter 1/2 inch		2	75	150
150	GI TANK NIPPLE 1"	Material Galvanized Iron End Connection Type Threaded Usage/Application Water Tank Diameter 1/2 inch		2	90	180
151	CPVC TANK NIPPLE 1/2"	Size 1/2 inch to 2 inch Application Pneumatic Connections Material PVC		2	80	160
152	CPVC TANK NIPPLE 3/4"	Size 1/2 inch to 2 inch Application Pneumatic Connections Material PVC		2	110	220
153	CPVC TANK NIPPLE 1"	Size 1/2 inch to 2 inch Application Pneumatic Connections Material PVC		2	140	280
154	GI NIPPLE 1/2"	Size 1/2 inch Material Galvanized Iron Length 3 inch		2	50	100
155	GI NIPPLE 3/4"	Size 3/4 inch Material Galvanized Iron Length 4 inch		2	75	150
156	GI NIPPLE 1"	Size 1" Material Galvanized Iron Length 4 inch		2	95	190

157	GI HEXA NIPPLE 1/2"	Size 1/2" Material GI		2	50	100
158	GI HEXA NIPPLE 3/4"	Size 3/4" Material GI		2	65	130
159	GI HEXA NIPPLE 1"	Size 1" Material GI		2	85	170
160	ALL PIPE SOLVENT	M SeaL Colour Yellow Volume 200 Millilitres		2	400	800
161	L SQUARE SS	Material Alloy Steel SIZE 12"		1	500	500
162	WATER PRESSER GAUGE	The dial supports dual scale display, the range is 0-1.4mpa, 0-200psi/kpa, high accuracy, clear and intuitive display structure. [APPLICATION] Pressure gauge, widely used in water pressure testing of well pumps, swimming pools, aquariums etc		1	1500	1500
163	CI GLOBE VALVE 1/2"	Material Carbon Steel		1	1500	1500
164	PAINT BRUSH 3"	Brush Width 3 Inches		2	200	600
165	OIL CANE	Material Steel Liquid Volume 118 Millilitres Recommended Uses For Product chains, metal etc.		2	300	600
166	PLASTIC SCREW GITTI 1.5"	Material Nylon		1	100	100
167	LED Monitor	Branded 53.5 - 55.5 CM Liquid Crystal Display LED Panel or Monitors (21.5 inch (54.61 cm) IPS LED Backlit Computer Monitor - Full HD) - with warranty		1	7500	7500
168	Wired Branded Keyboard Mouse Kit	USB (Full Size) Wired Keyboard & Mouse Combo(Black) with numeric keys.Compatible with latest window version - with warranty		1	1000	1000
169	CPU (Central Processing Unit)	12th Gen Intel Core i5-8GB RAM/1 TB HDD/Windows11/MS Office 2021/Integrated Intel UHD Graphics/WiFi 5/Bluetooth 5.0 (with 3 years warranty)		1	40000	40000

170	Printer	Branded multifunctional laser printer (Max Print resolution(Mono)600X600 dpi,Print Speed mono-18 ppm, Duplex Mannual, Input Tray Capacity minium-100 pages, Scaning Speed - 10 Sec, Copy resize-30%- 40%, Copy Resolution 600X400 dpi, Copy Speed Mono-18 cpm) with warranty		1	12000	12000
171	Almirah	2 Door Mild Steel Office Almirah with inbuilt shelves (5ft *3ft)		1	8000	8000
172	Office/Teacher Table	Good quality Wooden finish front covered with drawer medium sized teacher table		1	3000	3000
173	Office/Teacher Chair	Chrome finish leather wrapped medium back office/teacher chair		1	1500	1500
174	Student Chair	Pvc shell backrest having powder coated finishing with mild steel frame		25	700	17500
				TOTAL		210000